


# BERGEN

**Inspiration for those who are looking for functional, orderly and clean spaces.**

Bergen arises from the inspiration between nature, simplicity and minimalism.

Its more textile version manages to create interior spaces transmitting spaciousness, a feeling of warmth and tranquility.




# Bergen


OF= 5%




**2421** White Plus




**2422** White




**2423** White I Linen



**2427** White I Pearl Linen



**2428** White I Bronze



**2441** Charcoal

# Bergen

OF=5%

## Fabric

Type of fabric	25% Polyester, 60% PVC, 15% Trevira CS
Weave pattern	Basket Weave
Widths	320 cm
Roll length	30 ml

Technical specifications	Average values	Standar
Weight	320 g/m <sup>2</sup>	ASTM D 1777 : 1996
Thickness	0.57 mm	ASTM D 3776 : 2009
Fire resistance*	C-s3,d0	UNE EN 13501-1:2007
	Clase 1	UNE EN 13773-2003
	B1	DIN 4102-1
Color fastness (scale blue)	≥8	ISO 105 b02 : 2000
Ultra violet blocking	95%	AATCC 183 : 2010
Antibacterial	complies	ASTM G21
Lead free	complies	REACH Regulation
Environment	complies	Standard 100
	complies	Greenguard
Acoustic	under testing	ASTM C423-09a
Warranty	5 years	

## Processing

Cutting	Crush cut, Ultrasonic
Welding	Thermal, HF, Ultrasonic, Sewing.
Cleaning	Remove dust with soft brush or soft sponge and clear water.

## Additional information



5 years warranty



Energy saving



Easy maintenance



Indoor comfort



Printable



Flame retardant



Lead free



These properties are given as indicate and don't have any contractual value.

\*For other international test, please contact us.

# Bergen

OF=5%

Decorative Collection	Color	Solar Heat & Light Control				Gtot			
		Ts	Rs	As	Tv	A	B	C	D
2421 White Plus		24	66	10	21,46	0,31	0,34	0,29	0,14
2422 White		22	65	13	19,74	0,32	0,34	0,30	0,14
2423 White I Linen		22	62	16	18,99	0,34	0,36	0,30	0,14
2427 White I Pearl Grey		18	48	34	15,23	0,42	0,43	0,38	0,19
2428 White I Bronze		17	44	39	14,11	0,44	0,45	0,39	0,21
2441 Charcoal		9	12	78	9,30	0,63	0,62	0,53	0,29

Ts: Solar transmission Rs: Solar Reflection As: Solar absorption Tv: Visible light transmission Gtot: Total solar energy transmittance